

**André-A. Weller**

Section of Ornithology, Zoological Research Museum A. Koenig, Adenauerallee 160, 53113 Bonn, Germany.

**LIST OF REFEREES 2017 (\*: more than one manuscript)**

Francisca Aguiar-Silva, Tomás Altamirano, Sergio Alvarado, Juan Amat, Marina Anciaes, Wayne Arendt, Juan Ignacio Areta\*, Christian Artuso, Cristiano Azevedo, Henrique Batalha, Arnaud Bechet, Peter Bednekoff, Marcelo Bertellotti, Carlos Bosque, Donald Brightsmith\*, Juli Broggi, Daniel Brooks\*, Gustavo Sebastian Cabanne\*, Hector Cadena\*, Augusto Cardoni, Martina Carrete\*, Juan Celis, Cesar Cestari, Sergio Chaparro-Herrera, Flávia Chaves, Yanira Cifuentes Sarmiento\*, Christopher Clark, Kristina Cockle\*, Mariano Codesido, Cintia Cornelius\*, Alejandro Correa, Natalia Cozzani, Victor Cueto, Fernando D'Horta, Liliana D'Alba, Sylvia Margarita de la Parra Martinez, Miguel Angel De Labra Hernandez, Kaspar Delhey\*, Adrian Di Giacomo, Alejandro Di Giacomo, Maria Echeverry-Galvis\*, Patricia Escalante-Pliego, Priscilla Esclarski, Cristian Estades, Andrés Estay, José Ferrer-Paris, Ricardo Figueroa, Rosendo Fraga, Juan Freile, Martin Frixione, Julio Gallardo, Alejandro Gatto, Isabel Gómez Villafañe, Daniel Gonzalez, Carlos Gussoni, Diego Hoffmann\*, Silvina Ippi, Juan Pablo Isacch\*, Jaime Jimenez, Erik Johnson, Matías Juhant, Jordan Karubian, Cecilia Kierulff, Alejandro Kusch\*, Carlos Lara, Thiago Laranjeiras, Javier Lenzi, A. Lezama, Rodrigo Lorenzón, Regina Macedo, Maria Maglianese, Lilian Manica\*, Fernando Mapelli, Nancy Marinero, Vanessa Martínez-García, Juan Masello\*, Eric Mellink, João Menezes, Tiberio Monterrubio-Rico, Italo Mourthe, Marcia Muñoz, Michael Murphy, Adolfo Navarro Siguenza\*, David Ocampo, George Olah\*, Nadinne Oliveira de Matos Sousa, Francisco Ornelas, Raul Ortiz-Pulido\*, Jane Packard, Facundo Palacio, Michael Patten, Jorge Perez, Marco Aurelio Pizo, Matías Pretelli, Juan Quiñónez Guzmán, José Ragusa-Netto, Jaime Ramos, John Rappole, Jaime Rau, Miguel Ángel Rendón, Ignacio Roesler\*, Rafael Rueda-Hernández, Ernesto Ruelas Inzunza, Roman Ruggera, Miguel Saggese, Alejandro Salinas-Melgoza, Luis Sanchez-Gonzalez, Luis Sandoval\*, Ivan Sazima, Alejandro Schaaf\*, Nathaniel Seavy, Raul Sedano, Luciano Segura, Luís Silveira, Samuel Snow, A Sosa, Jeff Stratford, Jean Marc Thiollay\*, Ricardo Torres, Mauricio Ugarte-Lewis, Sandra Valderrama, Hein van Grouw, Edson Varga Lopes, Leopoldo Vázquez-Reyes, Carlos Verea, Jhonson Vizcarra, Graziele Volpato, André Weller\*, Pablo Yorio, Agustin Zarco, Kristof Zyskowski\*.

**INDEX OF KEY WORDS AND NAMES 2017**

- Abies guatemalensis*, 155–162
- Aburria jacutinga*, 281–290
- Acanthistius brasilianus*, 103–111
- Accipiter bicolor*, 281–290
- Accipiter poliogaster*, 281–290
- Accipiter striatus*, 281–290
- Accipiter superciliosus*, 281–290
- Acosta-Rojas, D. C., 295–307
- Actitis macularius*, 89–96
- Active pursuit, 309–311
- Aegolius harrisii*, 281–290
- Agamia agami*, 89–96
- Agelaioides badius*, 77–87, 119–128
- Agelasticus cyanopus*, 281–290
- Aggressive encounters, 23–26
- Aging techniques, 129–133
- Agnolin, F., 321–331
- Aiphanes horrida*, 295–307
- Alonso, J. A., 11–21

- Alopochelidon fucata*, 281–290
- Amadonastur lacernulatus*, 281–290
- Amaurolimnas concolor*, 281–290
- Amaurospiza moesta*, 281–290
- Amazilia brevirostris*, 281–290
- Amazilia castaneiventris*, 223–235
- Amazilia chionogaster*, 77–87
- Amazilia cyanifrons*, 223–235
- Amazilia fimbriata*, 281–290
- Amazilia lactea*, 281–290
- Amazilia versicolor*, 281–290
- Amazon, 11–21
- Amazona aestiva*, 281–290
- Amazona brasiliensis*, 281–290
- Amazona vinacea*, 281–290
- Amazonetta brasiliensis*, 89–96, 281–290
- Ammodramus humeralis*, 119–128, 281–290
- Anabacerthia amurotis*, 281–290
- Anabacerthia lichtensteini*, 281–290

- Anabazenops fuscus*, 281–290  
*Anacardium excelsum*, 223–235  
*Anairetes parulus*, 77–87, 191–199  
*Anas bahamensis*, 89–96  
*Anas flavirostris*, 89–96, 119–128  
*Anas georgica*, 89–96, 119–128  
*Anas platalea*, 89–96  
*Anas versicolor*, 89–96  
Andes, 269–275  
Andriola, J. V. P., 309–311  
*Anhima cornuta*, 89–96  
*Anhinga anhinga*, 89–96, 281–290  
*Aniba perutilis*, 295–307  
*Anodorhynchus hyacinthinus*, 187–190, 213–217  
Anomaly, 143–145  
*Anthracothorax nigricollis*, 281–290  
*Anthus correndera*, 243–252  
*Anthus correndera chilensis*, 243–252  
*Anthus lutescens*, 281–290  
*Anthus* sp., 77–87  
*Antrostomus sericocaudatus*, 281–290  
*Aphantochroa cirrochloris*, 281–290  
*Aphrastura spinicauda*, 191–199  
*Apis mellifera scutellata*, 213–217  
Aquatic birds, 89–96  
*Ara chloropterus*, 213–217, 253–260  
*Ara macao cyanoptera*, 213–217  
*Ara militaris*, 213–217  
*Aramides cajaneus*, 89–96, 281–290  
*Aramides saracura*, 89–96, 119–128, 281–290  
*Aramides ypecaha*, 89–96, 119–128  
*Aramus guarauna*, 89–96, 119–128  
*Ardea alba*, 89–96, 119–128, 281–290  
*Ardea cocoi*, 89–96, 119–128, 281–290  
Arecaceae, 295–307  
*Arenaria interpres*, 89–96  
Arequipa, 219–221  
Areta, J. I., 243–252  
*Argemone subfusiforme*, 43–50  
Argentina, 43–50, 51–56, 103–111, 243–252, 321–331  
Armesto, J. J., 191–199  
*Arremon schlegeli canidorsum*, 223–235  
*Arremon semitorquatus*, 281–290  
*Arremonops conirostris*, 209–212  
Arthropods consumption, 191–199  
Artificial habitats, 89–96  
*Arundinicola leucocephala*, 281–290  
*Asio clamator*, 51–56, 281–290  
*Asio flammeus*, 77–87, 281–290  
*Asio stygius*, 281–290  
*Asthenes baieri*, 119–128  
*Asthenes dorbigny*, 77–87  
*Athene cunicularia*, 281–290  
*Attila phoenicurus*, 281–290  
*Attila rufus*, 281–290  
*Automolus leucophthalmus*, 281–290  
*Avena sativa*, 43–50  
Aves, 281–290  
Avian biogeography, 11–21  
*Bactris gasipaes*, 295–307  
*Bactris setulosa*, 295–307  
*Bactris* sp., 295–307  
Baladrón, A. V., 51–56  
Balas McNab, R., 213–217  
Barbieri, E., 27–36  
Barceló, M., 97–101, 113–117  
*Basileuterus culicivorus*, 119–128, 223–235, 281–290  
*Basileuterus hypoleucus*, 281–290  
*Basileuterus rufifrons*, 223–235  
*Batara cinerea*, 281–290  
Batisteli, A. F., 291–294  
Becard, 201–207  
Behavior, 37–41, 253–260  
*Beilschmiedia sulcata*, 295–307  
*Biatas nigropectus*, 281–290  
Bioacoustics, 23–26, 243–252  
Biogeographic pattern, 155–162  
Biotic homogenization, 77–87  
Bird abundance, 77–87  
Bird behavior, 291–294  
Bird communities, 223–235  
Bird list, 11–21  
Bird richness, 77–87  
Birds diet, 191–199  
Bó, M. S., 51–56  
Bodrati, A., 201–207  
Bosholt, M., 23–26  
*Botaurus pinnatus*, 89–96  
*Bothriurus burmeisteri*, 237–241  
Boyd, J., 213–217  
Brazil, 27–36, 281–290, 291–294, 309–311  
Breeding, 261–268  
Breeding biology, 37–41  
Breeding phenology, 57–66  
Breeding season, 97–101, 113–117  
Brightsmith, D.J., 213–217  
Brillouin formula, 191–199  
Brooding behavior, 269–275  
*Brotogeris chiriri*, 281–290  
*Brotogeris tirica*, 281–290  
Brown rat, 237–241  
*Bubo magellanicus*, 237–241  
*Bubo virginianus*, 281–290  
*Bubulcus ibis*, 77–87, 119–128, 281–290  
Buenos Aires province, 321–331  
*Buteo brachyurus*, 281–290  
*Butorides striata*, 89–96, 119–128, 281–290  
*Butorides striata*,  
By-catch, 27–36  
Caatinga, 89–96  
*Cacicus chrysopterus*, 281–290  
*Cacicus haemorrhouss*, 281–290  
*Cairina moschata*, 281–290  
*Calidris bairdii*, 89–96  
*Calidris canutus*, 89–96  
*Calidris fuscicollis*, 89–96  
*Calidris melanotos*, 89–96  
*Calidris subruficollis*, 89–96  
*Calliphlox amethystina*, 281–290  
*Callonetta leucophrys*, 89–96, 119–128  
*Calothorax lucifer*, 67–75  
Camera traps, 313–320

- Campetheria leucopogon*, 321–331  
*Campetheria magellanicus*, 321–331  
*Campetheria robustus*, 281–290  
*Camptostoma obsoletum*, 281–290  
*Campylorhamphus falconarius*, 281–290  
*Cantorchilus longirostris*, 281–290  
*Cantorchilus thoracicus*, 163–174  
 Canyon of Chicamocha, 223–235  
*Capsella bursa-pastoris*, 43–50  
*Capsiempis flaveola*, 281–290  
*Caracara plancus*, 119–128, 281–290  
 Carbó-Ramírez, P., 1–10  
 Cárdenas, S., 295–307  
 Cardinalidae, 37–41  
 Cardona, L. M., 295–307  
 Cardoso, T. A. L., 89–96  
*Carduus thoermeri*, 43–50  
*Cariama cristata*, 281–290  
*Carpornis cucullata*, 281–290  
*Carpornis melanocephala*, 281–290  
 Carvalho, B. M., 27–36  
 Castillo-Guerrero, J. A., 57–66  
*Catamenia analis*, 77–87  
*Cathartes aura*, 281–290  
*Catharus fuscescens*, 281–290  
*Catharus ustulatus*, 223–235  
 Cavarzere, V., 281–290  
*Celeus flavescens*, 281–290  
 Celis-Diez, J. L., 191–199  
 Central America, 181–185  
*Ceroxylon quindiuense*, 295–307  
 Cerro Montezuma, 37–41  
*Certhiaxis cinnamomeus*, 281–290  
 Cestari, C., 277–280  
*Chaetura cinereiventris*, 281–290  
*Chaetura meridionalis*, 281–290  
*Chamaedorea linearis*, 295–307  
*Chamaea campanisona*, 281–290  
*Chamaea meruloides*, 281–290  
*Charadrius collaris*, 89–96  
*Chauna torquata*, 89–96  
 Cheli, G., 237–241  
*Chenopodium álbium*, 43–50  
 Chestnut-throated Huet-huet, 97–101  
 Chile, 97–101, 113–117, 191–199, 243–252  
 Chiloé Island, 191–199  
 Chimalapas, 313–320  
*Chiroxiphia caudata*, 281–290  
*Chloris chloris*, 77–87  
*Chloroceryle aenea*, 89–96, 281–290  
*Chloroceryle amazona*, 89–96, 119–128, 281–290  
*Chloroceryle indica*, 89–96, 281–290  
*Chlorophanes spiza*, 209–212, 281–290  
*Chlorophonia cyanea*, 281–290  
*Chlorospingus flavopectus*, 209–212  
*Chlorostilbon lucidus*, 77–87, 119–128, 281–290  
*Chlorothraupis stolzmanni*, 37–41  
*Chondrohierax uncinatus*, 281–290  
*Chordeiles minor*, 119–128  
*Chroicocephalus maculipennis*, 89–96  
*Chrysomus ruficapillus*, 281–290  
*Cichlocolaptes leucophrys*, 281–290  
*Ciconia maguari*, 89–96, 119–128  
*Cinclodes fuscus*, 77–87  
*Cinnamomum triplinerve*, 295–307  
 Circular statistics, 129–133  
*Circus buffoni*, 89–96, 119–128  
*Cissopis leverianus*, 281–290  
*Cistothorus platensis*, 119–128, 281–290  
*Claravis geoffroyi*, 281–290  
*Claravis pretiosa*, 281–290  
 Cloudforest, 269–275  
*Clytolaema rubricauda*, 281–290  
*Cnemalobus* sp., 237–241  
*Cnemotriccus fuscatus*, 281–290  
 Cóbar-Carranza, A. J., 155–162  
*Coccycus americanus*, 223–235  
*Coccycus euleri*, 281–290  
*Coccycus melacoryphus*, 119–128, 281–290  
*Cochlearius cochlearius*, 281–290  
 Cockle, K. L., 201–207  
*Coereba flaveola*, 209–212, 281–290  
*Colaptes campestris*, 119–128, 281–290, 321–331  
*Colaptes melanochloros*, 77–87, 119–128, 281–290, 321–331  
*Colaptes naroskyi*, 321–331  
*Colaptes rupecola*, 77–87  
*Colibri coruscans*, 77–87  
*Colibri serrirostris*, 281–290  
 Collazos-González, S. A., 223–235  
*Colonia colonus*, 281–290  
 Colony size, 57–66  
 Colpa, 253–260  
*Columba livia*, 77–87, 281–290  
*Columbina picui*, 77–87, 119–128  
*Columbina squammata*, 281–290  
*Columbina talpacoti*, 119–128, 281–290  
 Competition, 67–75  
 Composition, 77–87  
*Conirostrum speciosum*, 281–290  
*Conopias trivirgatus*, 281–290  
*Conopophaga lineata*, 281–290  
*Conopophaga melanops*, 281–290  
*Conopophagidae*, 281–290  
 Conservation, 77–87, 119–128, 135–141, 281–290  
*Contopus cinereus*, 281–290  
*Coragyps atratus*, 119–128, 281–290  
*Corapipo altera*, 209–212  
 Correndera Pipit, 243–252  
*Coryphistera alaudina*, 119–128  
*Corythopis delalandi*, 281–290  
*Coscoroba coscoroba*, 89–96  
 Costa Rica, 135–141, 181–185, 209–212  
 Costán, A. S., 43–50  
 Courtship, 277–280  
 Courtship display, 23–26  
 Cracidae, 155–162, 313–320  
*Cranioleuca obsoleta*, 281–290  
*Cranioleuca pallida*, 281–290  
*Crax blumenbachii*, 313–320  
*Crax fasciolata*, 313–320  
*Crax rubra*, 313–320

- Crotophaga ani*, 281–290  
*Crypturellus noctivagus*, 281–290  
*Crypturellus obsoletus*, 281–290  
*Crypturellus parvirostris*, 281–290  
*Crypturellus tataupa*, 281–290  
*Cucumis anguria*, 43–50  
*Curaeus curaeus*, 191–199  
Cursach, J. A., 77–87  
*Cyanocorax caeruleus*, 281–290  
*Cyanocorax cristatellus*, 281–290  
*Cyanoloxia brissonii*, 281–290  
*Cyanoloxia glaucoecaerulea*, 281–290  
*Cyathea*, 269–275  
*Cyclarhis gujanensis*, 119–128, 281–290  
*Cygnus melanocoryphus*, 89–96  
*Cypseloides fumigatus*, 281–290  
*Cypseloides senex*, 281–290  
*Cyrtograpsus angulatus*, 103–111  
*Dacnis cayana*, 209–212, 281–290  
*Dacnis nigripes*, 281–290  
*Dacnis venusta*, 209–212  
*Dacryodes* sp., 295–307  
*Dacryodes trinitensis*, 295–307  
Darkling beetles, 237–241  
Darwin's gecko, 237–241  
De Lambo, D., 261–268  
De Lea, M., 209–212  
de Paula, G. A., 187–190  
Decaying trees, 187–190  
Deffaci, A. C., 119–128  
*Dendrocincla homochroa*, 209–212  
*Dendrocincla turdina*, 281–290  
*Dendrocolaptes platyrostris*, 281–290  
*Dendrocygna autumnalis*, 89–96, 281–290  
*Dendrocygna bicolor*, 89–96  
*Dendrocygna viduata*, 89–96, 119–128, 281–290  
*Dendropanax macrocarpus*, 295–307  
Díaz-Alvan, J., 11–21  
Diet composition, 51–56  
Diet, 27–36, 103–111  
*Diglossa carbonaria*, 77–87  
Dispersal, 209–212  
Distribution, 243–252  
*Diuca diuca*, 77–87  
Diversity, 119–128  
Dominance, 277–280  
*Donacobius atricapilla*, 281–290  
*Donacospiza albifrons*, 281–290  
*Dromococcyx pavoninus*, 281–290, 309–311  
Drylands, 89–96  
*Drymis granadensis*, 155–162  
*Drymophila ferruginea*, 281–290  
*Drymophila malura*, 281–290  
*Drymophila ochropyga*, 281–290  
*Drymophila rubricollis*, 281–290  
*Drymophila squamata*, 281–290  
*Dryocopus galeatus*, 281–290  
*Dryocopus lineatus*, 281–290, 321–331  
*Dysithamnus mentalis*, 281–290  
*Dysithamnus stictothorax*, 281–290  
*Dysithamnus xanthopterus*, 281–290  
Eared Dove, 43–50  
Ecuador, 269–275  
Edge effect, 119–128  
Eggs, 37–41, 269–275  
*Egretta caerulea*, 89–96, 281–290  
*Egretta thula*, 89–96, 119–128, 281–290  
*Elaenia albiceps*, 77–87, 191–199  
*Elaenia chilensis*, 281–290  
*Elaenia flavogaster*, 119–128, 281–290  
*Elaenia mesoleuca*, 281–290  
*Elaenia obscura*, 281–290  
*Elaenia parvirostris*, 77–87, 119–128, 281–290  
*Elaenia* sp., 119–128  
*Elaenia spectabilis*, 119–128, 281–290  
*Elanoides forficatus*, 281–290  
*Elanus leucurus*, 77–87, 281–290  
*Eleoscytalopus indigoticus*, 281–290  
Elliot, K., 135–141  
*Emberizoides herbicola*, 281–290  
*Embernagra platensis*, 77–87, 119–128, 281–290  
*Emmalodera crenaticostata*, 237–241  
*Empidonax varius*, 119–128, 281–290  
*Engraulis anchoita*, 103–111  
*Enicognathus ferrugineus*, 77–87  
*Enterolobium contortisiliquum*, 187–190  
Espinal, 43–50  
*Eunicidae* spp., 103–111  
*Eupetomena macroura*, 281–290  
*Euphonia chalybea*, 281–290  
*Euphonia chlorotica*, 281–290  
*Euphonia cyanocephala*, 281–290  
*Euphonia imitans*, 209–212  
*Euphonia laniirostris*, 209–212  
*Euphonia pectoralis*, 281–290  
*Euphonia violacea*, 281–290  
*Eurypyga helias*, 89–96  
*Euterpe precatoria*, 295–307  
EVI, 261–268  
Exotic species, 77–87  
Extinction risk, 155–162  
Fagan, M. E., 163–174  
*Falco femoralis*, 281–290  
*Falco rufipectoralis*, 281–290  
*Falco sparverius*, 77–87, 119–128, 281–290  
Feeding behavior, 187–190, 295–307  
Feeding ecology, 103–111  
Feeding methods, 309–311  
Feeding visits, 269–275  
Fischer, E., 187–190  
Fishery discards, 103–111  
*Florisuga fusca*, 281–290  
*Fluvicola nengeta*, 281–290  
Food habit, 187–190  
Food-niche breadth, 51–56  
Foraging preferences, 67–75  
Forest succession, 209–212  
*Formicarius colma*, 281–290  
*Formicivora grisea*, 223–235  
Formoso, A. E., 237–241  
*Forpus xanthopterygius*, 281–290  
Fossil bird, 321–331

- Fragmentation, 163–174  
*Fregata magnificens*, 27–36  
 Frixione, M. G., 261–268  
 Frugivory, 209–212, 295–307  
 Fruit consumption, 209–212  
 Fruit morphology, 295–307  
*Fulica leucoptera*, 89–96  
*Fumaria officinalis*, 43–50  
 Furnariidae, 269–275  
*Furnarius rufus*, 77–87, 119–128, 281–290  
 Gallés, A. 129–133  
*Gallinago paraguaiae*, 89–96, 281–290  
*Gallinula galeata*, 89–96, 119–128, 281–290  
 Galván-Piña, V. H., 57–66  
 Gap crossing, 163–174  
 Garcia-Anleu, R., 213–217  
*Geonoma densa*, 295–307  
*Geonoma undata*, 295–307  
*Geonoma weberbaueri*, 295–307  
 Geophagy, 253–260  
*Geospizopsis plebejus*, 77–87  
*Geothlypis aequinoctialis*, 281–290  
*Geotrygon montana*, 281–290  
*Geranoaetus albicaudatus*, 119–128, 281–290  
*Geranoaetus melanoleucus*, 281–290  
*Geranoaetus polyosoma*, 97–101, 113–117  
*Geranospiza caerulescens*, 281–290  
*Glaucidium brasilianum*, 281–290  
*Glaucidium minutissimum*, 281–290  
*Glaucis hirsutus*, 281–290  
*Gnorimopsar chopi*, 281–290  
 Golfo San Jorge, 103–111  
 González-García, F., 155–162  
 Gradients, 223–235  
*Grallaria varia*, 281–290  
 Grallariidae, 181–185, 281–290  
 Granivory, 43–50  
 Gray-mantled Wren, 175–179  
 Greeney, H. F., 181–185, 269–275  
*Griseotyrannus aurantioatrocristatus*, 119–128  
 Guallar, S., 129–133  
 Guatemala, 213–217  
*Gubernetes yetapa*, 281–290  
 Guijeno, M. F., 135–141  
 Guillermo-Ferreira, R., 291–294  
*Guira guira*, 77–87, 119–128, 281–290  
 Gulick, S., 213–217  
 H/L ratio, 1–10  
*Habia rubica*, 281–290  
 Habitat, 243–252  
 Habitat assessment, 135–141  
 Habitat fragmentation, 281–290  
*Haemorhous mexicanus*, 1–10  
 Haffey, W., 209–212  
 Hallux, 143–145  
*Haplospiza unicolor*, 281–290  
*Harpagus diodon*, 281–290  
 Hartmann, M. T., 119–128  
 Hartmann, P. A., 119–128  
*Hedyosmum cuatrecasanum*, 295–307  
*Helianthus annus*, 43–50  
*Heliobletus contaminatus*, 281–290  
*Heliomaster furcifer*, 119–128  
*Heliomaster squamosus*, 281–290  
*Heliornis fulica*, 89–96  
*Heliothryx auritus*, 281–290  
*Hemithraupis guira*, 281–290  
*Hemithraupis ruficapilla*, 281–290  
*Hemitriccus diops*, 281–290  
*Hemitriccus margaritaceiventer*, 223–235  
*Hemitriccus nidipendulus*, 281–290  
*Hemitriccus obsoletus*, 281–290  
*Hemitriccus orbitatus*, 281–290  
 Henao Díaz, F., 295–307  
*Henicorhina leucophrys*, 147–153  
*Henicorhina leucophrys manastarae*, 147–153  
*Henicorhina leucophrys meridana*, 147–153  
*Henicorhina leucophrys sanluisensis*, 147–153  
*Henicorhina leucophrys tamae*, 147–153  
*Henicorhina leucophrys venezuelensis*, 147–153  
*Henicorhina leucosticta*, 163–174  
 Hernández-Vázquez, S., 57–66  
*Herpetotheres cachinnans*, 281–290  
*Herpsilochmus rufimarginatus*, 281–290  
*Heteronetta atricapilla*, 89–96  
*Heterospizias meridionalis*, 281–290  
*Heterosquilla polydactyla*, 103–111  
 Hierarchical Cluster Analysis, 281–290  
*Himantopus himantopus*, 89–96  
*Himantopus mexicanus*, 89–96  
 Hinojosa-Larios, J. A., 57–66  
*Hirundinea ferruginea*, 281–290  
*Hirundo rustica*, 77–87  
*Histiotus montanus*, 237–241  
*Homonota darwini*, 237–241  
 Horned Guan, 155–162  
*Humiria* sp., 295–307  
 Hummingbirds, 23–26  
 Hunting pressure, 155–162  
*Hydropsalis albicollis*, 281–290  
*Hydropsalis forcipata*, 281–290  
*Hydropsalis parvula*, 281–290  
*Hydropsalis torquata*, 281–290  
*Hylithus tentyroides*, 237–241  
*Hylocharis chrysura*, 119–128  
*Hylocharis cyanus*, 281–290  
*Hylocharis leucotis*, 129–133  
*Hylopezus dives*, 181–185  
*Hylopezus nattereri*, 281–290  
*Hylophilus poicilotis*, 281–290  
*Hypoedaleus guttatus*, 281–290  
*Icterus pyrrhogaster*, 281–290  
*Ictinia plumbea*, 201–207, 281–290  
*Idotea baltica*, 103–111  
*Ilicura militaris*, 281–290  
 Immune function, 1–10  
 Impact, 119–128  
 Incubation, 37–41, 269–275  
 Insectivore, 163–174  
 Interaction, 277–280  
 Interannual changes, 57–66  
 Interspecific network, 201–207

- Interview, 135–141  
*Iodopleura pipra*, 281–290  
Ippi, S., 191–199  
*Ixbrychus exilis*, 281–290  
*Jabiru mycteria*, 89–96  
*Jacana jacana*, 89–96, 119–128, 281–290  
Jofré, G., 321–331  
Johnson, A., 269–275  
Johnson, O., 175–179  
Juvenile, 277–280  
Kalinina, V., 135–141  
*Knipolegus cyanirostris*, 281–290  
*Knipolegus lophotes*, 281–290  
*Lampornis amethystinus*, 129–133  
*Laniisoma elegans*, 281–290  
*Lanio cristatus*, 281–290  
*Lanio cucullatus*, 281–290  
*Lanio melanops*, 281–290  
Laps, R., 187–190  
Lara, C., 67–75  
*Larus dominicanus*, 27–36, 89–96, 103–111  
*Larus maculipennis*, 77–87  
*Laterallus leucopyrrhus*, 281–290  
*Laterallus melanophaius*, 281–290  
*Lathrotriccus euleri*, 281–290  
Lauraceae, 295–307  
Lee, A. T. K., 253–260  
*Legatus leucophaius*, 281–290  
Lek, 23–26  
Leones Island, 237–241  
*Leopardus guigna*, 113–117  
*Lepidocolaptes angustirostris*, 119–128, 281–290  
*Lepidocolaptes falcinellus*, 281–290  
*Leptasthenura aegithaloides*, 191–199  
*Leptasthenura platensis*, 119–128  
*Leptasthenura setaria*, 281–290  
*Leptasthenura aegithaloides*, 77–87  
*Leptasthenura fuliginiceps*, 77–87  
*Leptodon cayanensis*, 281–290  
*Leptopogon amaurocephalus*, 281–290  
*Leptotila rufaxilla*, 281–290  
*Leptotila verreauxi*, 119–128, 281–290  
Lesser Rhea, 261–268  
*Leucochloris albicollis*, 77–87, 281–290  
Leukocyte profile, 1–10  
Leveau, C. M., 77–87  
Leveau, L. M., 77–87  
*Limosa haemastica*, 89–96  
*Liolaemus camarones*, 237–241  
*Lipaugs lanioides*, 281–290  
Lipids, 295–307  
*Lochmias nematura*, 281–290  
Logistic regression, 147–153  
Londoño, G. A., 37–41  
*Lophornis chalybeus*, 281–290  
Loreto, 11–21  
Loures-Ribeiro, A., 89–96  
*Lurocalis semitorquatus*, 281–290  
*Lycopsis arvensis*, 43–50  
Machado-Stredel, F., 147–153  
*Machetornis rixosa*, 119–128, 281–290  
*Mackenziaena leachii*, 281–290  
*Mackenziaena severa*, 281–290  
*Malacoptila striata*, 281–290  
Malformation, 143–145  
*Manacus aurantiacus*, 209–212  
*Manacus manacus*, 277–280, 281–290  
Manakin, 277–280  
Marcon, A. P., 143–145, 309–311  
*Margarornis*, 269–275  
Echeverry-Galvis, M. A., 223–235  
Marinao, C., 103–111  
Márquez-Luna, U., 67–75  
Martínez-Morales, M. A., 155–162  
Maya Biosphere Reserve, 213–217  
Medrano, F., 243–252  
*Megacyrle torquata*, 89–96, 281–290  
*Megarynchus pitangua*, 119–128, 281–290  
*Megascops atricapilla*, 281–290  
*Megascops choliba*, 281–290  
*Melanerpes candidus*, 119–128, 281–290  
*Melanerpes flavifrons*, 281–290  
Mellink, E., 57–66  
*Merluccius hubbsi*, 103–111  
*Merulaxis ater*, 281–290  
*Mesembrinibis cayennensis*, 89–96, 281–290  
*Metriopelia ceciliae*, 77–87  
Mexico, 1–10, 57–66, 129–133, 313–320  
*Miconia glaberrima*, 155–162  
*Micrastur ruficollis*, 281–290  
*Micrastur semitorquatus*, 213–217, 281–290  
*Microspingus melanoleucus*, 119–128  
*Milvago chimachima*, 281–290  
*Milvago chimango*, 77–87  
*Mimus dorsalis*, 77–87  
*Mimus saturninus*, 77–87, 119–128, 281–290  
*Mimus thenca*, 77–87  
*Mionectes olivaceus*, 223–235  
*Mionectes rufiventris*, 281–290  
Miotto, M. L., 27–36  
*Mitragenius araneiformis*, 237–241  
Mixines spp., 103–111  
*Molothrus bonariensis*, , 77–87, 119–128, 281–290  
*Molothrus rufoaxillaris*, 119–128  
*Momotus lessonii*, 209–212  
Moroni, E., 291–294  
*Morphnus guianensis*, 281–290  
Morphometrics, 147–153  
Motacillidae, 243–252  
Multivariate Analysis, 281–290  
*Munida gregaria*, 103–111  
Muniz, G., 309–311  
Muñoz, C. E., 191–199  
*Muscipipra vetula*, 281–290  
*Muscisaxicola rufivertex*, 77–87  
*Mustelirallus erythrops*, 89–96  
*Mycteria americana*, 89–96, 119–128  
*Myiarchus apicalis*, 223–235  
*Myiarchus ferox*, 281–290  
*Myiarchus swainsoni*, 281–290  
*Myiarchus tyrannulus*, 281–290  
*Myiobius atricaudus*, 281–290

- Myioibius barbatus*, 281–290  
*Myiodynastes maculatus*, 119–128, 281–290  
*Myiopagis caniceps*, 281–290  
*Myiopagis viridicata*, 281–290  
*Myiophobus fasciatus*, 281–290  
*Myiopsitta monachus*, 77–87, 119–128  
*Myiornis auricularis*, 281–290  
*Myiothlypis flaveola*, 281–290  
*Myiothlypis leucoblephara*, 119–128, 281–290  
*Myiothlypis rivularis*, 281–290  
*Myiozetetes similis*, 281–290  
*Myrcianthes leucoxyla*, 295–307  
*Myrmoderus squamosus*, 281–290  
*Myrmotherula minor*, 281–290  
*Myrmotherula unicolor*, 281–290  
*Nacella* spp., 103–111  
*Nannopterum brasiliense*, 119–128  
*Nasutitermes*, 187–190  
Natural predation, 213–217  
*Nectandra acutifolia*, 295–307  
*Nectandra* aff. *Laurel*, 295–307  
*Nectandra* cf. *purpurea*, 295–307  
*Nectandra membranacea*, 295–307  
*Nectandra* spp., 295–307  
*Nectandra turbacensis*, 295–307  
*Neopelma chrysolophum*, 281–290  
Neotropical hummingbirds, 129–133  
*Nereidae* spp., 103–111  
Nest attendance, 269–275  
Nest predation, 291–294  
Nest structure, 269–275  
Nest, 37–41, 181–185, 219–221  
Nesting, 175–179, 269–275  
Nestling development, 269–275  
Nestling, 181–185  
*Netta erythrophthalma*, 89–96  
*Netta peposaca*, 89–96  
Nicoya Mountains, 135–141  
*Nomonyx dominicus*, 89–96  
*Nonnula rubecula*, 281–290  
Norambuena, H. V., 243–252  
*Notharchus swainsoni*, 281–290  
*Nothura maculosa*, 77–87, 119–128, 281–290  
*Numenius phaeopus*, 89–96  
Nunes, J. F., 23–26  
*Nyctibius griseus*, 281–290  
*Nycticorax nycticorax*, 89–96, 281–290  
*Nyctiphrynus ocellatus*, 281–290  
*Nystalus chacuru*, 281–290  
*Ochthoeca oenanthonoides*, 77–87  
*Ocotea* aff. *Austinii*, 295–307  
*Ocotea floribunda*, 295–307  
*Ocotea* sp., 295–307  
*Octopus tehuelchus*, 103–111  
*Odontophorus capueira*, 281–290  
*Odontorchilus branickii*, 175–179  
*Oenocarpus bataua*, 295–307  
*Oenocarpus mapora*, 295–307  
*Onychorhynchus swainsoni*, 281–290  
*Opisthocomus hoazin*, 89–96  
*Orchesticus abeillei*, 281–290  
*Oreopanax hederaceum*, 155–162  
*Oreophasis derbianus*, 155–162, 313–320  
*Orepanax* sp., 155–162  
*Ornithodoros poliocephala*, 313–320  
*Ornithodoros vetula*, 313–320  
*Orthogonyx chloricterus*, 281–290  
Ortiz, C. A., 219–221  
Ortiz, P., 243–252  
Ortiz-Pulido, R., 67–75  
Otoliths, 26–37  
*Oxyruncus cristatus*, 281–290  
*Oxyura vittata*, 89–96  
*Pachyramphus castaneus*, 201–207, 281–290  
*Pachyramphus marginatus*, 281–290  
*Pachyramphus polychropterus*, 201–207, 281–290  
*Pachyramphus validus*, 201–207, 281–290  
*Pachyramphus viridis*, 201–207, 281–290  
Pampas region, 51–56  
*Pandion haliaetus*, 89–96, 281–290  
*Panicum bergii*, 43–50  
*Panicum miliaceum*, 43–50  
Pantanal, 187–190  
*Panyptila cayennensis*, 281–290  
*Parabuteo leucorrhous*, 281–290  
Paraíba, 89–96  
*Parathesis* sp., 155–162  
*Pardirallus nigricans*, 281–290  
*Pardirallus sanguinolentus*, 89–96, 119–128  
Parental care, 97–101, 113–117, 269–275  
*Paroaria coronata*, 119–128  
Parrot, 253–260  
*Paspalum notatum*, 43–50  
*Passer domesticus*, 77–87, 119–128, 281–290  
*Passiflora membranacea*, 155–162  
*Patagioenas cayennensis*, 281–290  
*Patagioenas maculosa*, 77–87, 119–128  
*Patagioenas picazuro*, 77–87, 119–128, 281–290  
*Patagioenas plumbea*, 281–290  
*Patagona gigas*, 77–87  
Patagonia, 237–241, 261–268  
*Patagonogenius quadricollis*, 237–241  
*Patagonotothen cornucola*, 103–111  
Pazos, G., 237–241  
*Peisos petrunkevitchi*, 103–111  
Pellets, 27–36  
*Penelope obscura*, 281–290  
*Penelope purpurascens*, 313–320  
*Penelopina nigra*, 313–320  
Pérez-Emán, J., 147–153  
Pérez-Irineo, G., 313–320  
*Persea caerulea*, 295–307  
*Persea* sp., 155–162, 295–307  
Peru, 11–21, 175–179, 219–221  
Petalands, 11–21  
*Petrochelidon pyrrhonota*, 281–290  
*Phacellodomus erythrophthalmus*, 281–290  
*Phacellodomus ferrugineigula*, 281–290  
*Phacellodomus sibilatrix*, 119–128  
*Phacellodomus striaticollis*, 119–128  
*Phaethornis anthophilus*, 223–235  
*Phaethornis eurynome*, 281–290

- Phaethornis pretrei*, 281–290  
*Phaethornis squalidus*, 281–290  
*Phaetusa simplex*, 89–96  
*Phalacrocorax brasiliensis*, 89–96, 281–290  
*Phibalura flavirostris*, 281–290  
*Philydor atricapillus*, 281–290  
*Philydor rufum*, 281–290  
*Phimosus infuscatus*, 89–96, 119–128  
*Phoebe cinnamomeifolia*, 295–307  
*Phrygilus fruticeti*, 77–87  
*Phrygilus patagonicus*, 191–199  
*Phrygilus punensis*, 77–87  
*Phyllomyias fasciatus*, 281–290  
*Phyllomyias griseocapilla*, 281–290  
*Phyllomyias virescens*, 281–290  
*Phylloscartes oustaleti*, 281–290  
*Phylloscartes paulista*, 281–290  
*Phylloscartes sylvialis*, 281–290  
*Phylloscartes ventralis*, 281–290  
*Phytotoma rara*, 77–87  
*Phytotoma rutila*, 77–87  
*Piaya cayana*, 281–290  
Picidae, 321–331  
*Piculus aurulentus*, 281–290  
*Piculus flavigula*, 281–290  
*Picumnus cirratus*, 281–290  
*Picumnus temminckii*, 281–290  
*Pilherodius pileatus*, 281–290  
*Pinus ayacahuite*, 155–162  
*Pionopsitta pileata*, 281–290  
*Pionus maximiliani*, 281–290  
*Pipraeidea bonariensis*, 77–87, 281–290  
*Pipraeidea melanonota*, 281–290  
Pipridae, 277–280  
*Piprites chloris*, 281–290  
*Piranga flava*, 281–290  
*Piranga olivacea*, 223–235  
*Piranga rubra*, 223–235  
*Pitangus sulphuratus*, 77–87, 119–128, 281–290  
*Platalea ajaja*, 89–96, 119–128  
*Plathestes* sp., 237–241  
*Platyrinchus leucoryphus*, 281–290  
*Platyrinchus mystaceus*, 281–290  
*Plaxiphora aurata*, 103–111  
*Plegadis chihi*, 77–87, 89–96  
Pleistocene, 321–331  
*Pleoticus muelleri*, 103–111  
Plumage traits, 129–133  
*Pluvialis dominica*, 89–96  
*Pluvialis squatarola*, 89–96  
*Podager naevius*, 119–128  
*Podiceps major*, 89–96  
*Podilymbus podiceps*, 89–96, 281–290  
*Poecilotriccus plumbeiceps*, 281–290  
Point counts, 135–141  
*Poliocrania exsul*, 163–174  
*Polioptila dumicola*, 119–128  
*Polygonum aviculare*, 43–50  
Ponce-Santizo, G., 213–217  
*Poospiza cabanisi*, 281–290  
*Poospiza hypochondria*, 77–87  
Population, 261–268  
*Porphyrio martinicus*, 89–96, 281–290  
*Porphyriops melanops*, 89–96  
Port, J., 269–275  
*Porzana albicollis*, 281–290  
Predation risk, 97–101, 113–117  
Predation, 43–50, 163–174  
*Premnoplex brunnescens*, 269–275  
*Premnornis guttuliger*, 269–275  
*Prestoea acuminata*, 295–307  
Prey frequency, 51–56  
Prey size, 51–56  
Prey-capture behavior, 309–311  
Principal Coordinate Analysis, 281–290  
*Procnias nudicollis*, 281–290  
*Procnias tricarunculatus*, 135–141  
*Progne chalybea*, 119–128, 281–290  
*Progne tapera*, 281–290  
*Pronotaria citrea*, 223–235  
Protective nest association, 201–207  
*Prunus barbata*, 155–162  
*Psarocolius decumanus*, 281–290  
*Pseudastur polionotus*, 281–290  
*Pseudocolaptes*, 269–275  
*Pseudoleistes guirahuro*, 119–128, 281–290  
*Pseudoleistes virescens*, 77–87  
*Pseudoseisura lophotes*, 119–128  
*Psilopsiagon aymara*, 77–87  
*Psilorhamphus guttatus*, 281–290  
*Psittacara leucophthalmus*, 281–290  
Psittacine, 253–260  
*Pteroglossus aracari*, 281–290  
*Pteroglossus bailloni*, 281–290  
*Pteroptochos castaneus*, 97–101, 113–117  
*Pteroptochos tarnii*, 191–199  
*Pulsatrix koeniswaldiana*, 281–290  
*Pulsatrix perspicillata*, 281–290  
*Pygochelidon cyanoleuca*, 77–87, 119–128, 281–290  
*Pyriglenia leucoptera*, 281–290  
*Pyrocephalus rubinus*, 119–128, 281–290  
*Pyroderus scutatus*, 281–290  
*Pyrrhocoma ruficeps*, 281–290  
*Pyrrhura frontalis*, 281–290  
*Quercus acatenanguensis*, 155–162  
*Quercus benthamiae*, 155–162  
*Quercus sapotifolia*, 155–162  
Quiñónez-Guzmán, J. M., 155–162  
Raimondi's Yellow-Finch, 219–221  
*Ramphastidae Vigors,*, 281–290  
Ramphastidae, 291–294  
*Ramphastos dicolorus*, 201–207, 281–290  
*Ramphastos toco*, 281–290, 291–294  
*Ramphastos vitellinus*, 281–290  
*Ramphocaenus melanurus*, 281–290  
*Ramphocelus bresilius*, 281–290  
*Ramphocelus carbo*, 281–290  
*Ramphocelus costaricensis*, 209–212  
*Ramphodon naevius*, 281–290  
*Ramphotrigon megacephalum*, 281–290  
*Raneya brasiliensis*, 103–111  
Raptor, 51–56, 201–207

- Rattus norvegicus*, 237–241  
*Rectrix* morphology, 129–133  
 Reproductive biology, 181–185  
*Rhea americana*, 119–128  
*Rhea pennata pennata*, 261–268  
*Rhodostemonodaphne grandis*, 295–307  
*Rhopias gularis*, 281–290  
*Rhynchos niger*, 89–96  
*Rhytipterna simplex*, 281–290  
 Richness, 89–96  
 Road ecology, 119–128  
 Rodríguez-Estrella, E., 57–66  
*Rollandia rolland*, 89–96  
*Rostrhamus sociabilis*, 89–96, 281–290  
*Rupornis magnirostris*, 77–87, 119–128, 281–290  
 Rusty-winged Barbtail, 269–275  
 Salinas, D., 191–199  
*Saltator aurantiirostris*, 77–87, 119–128  
*Saltator coerulescens*, 119–128  
*Saltator fuliginosus*, 281–290  
*Saltator maxillosus*, 281–290  
*Saltator maximus*, 209–212  
*Saltator similis*, 281–290  
*Saltator striaticeps*, 209–212, 223–235  
 Sánchez-Martínez, M., 37–41  
 Santos-Moreno, A., 313–320  
*Sappho sparganurus*, 77–87  
 Sarasola, J. H., 43–50  
*Sarcoramphus papa*, 281–290  
*Sarkidiornis melanotos*, 89–96  
*Satrapa icterophrys*, 119–128, 281–290  
*Scelorchilus rubecula*, 191–199  
*Schiffornis virescens*, 281–290  
*Schistochlamys melanopis*, 281–290  
*Schistochlamys ruficapillus*, 281–290  
*Schoeniophylax phryganophilus*, 119–128  
 Sciaenidae, 26–37  
*Sclerurus macconnelli*, 281–290  
*Sclerurus scansor*, 281–290  
*Scotobius akidioides*, 237–241  
*Scytalopus magellanicus*, 191–199  
*Scytalopus speluncae*, 281–290  
 Seabirds, 26–37, 57–66  
 Seed dispersal, 43–50, 295–307  
 Seed morphology, 295–307  
*Selenidera maculirostris*, 281–290  
 Sentinel behavior, 253–260  
*Sephanoides sephanioides*, 191–199  
*Serpophaga nigricans*, 281–290  
*Serpophaga subcristata*, 77–87, 119–128, 281–290  
 Serra de Paranapiacaba, 281–290  
*Setaria parviflora*, 43–50  
*Setophaga petechia*, 223–235  
*Setophaga pitiayumi*, 77–87, 281–290  
 Sexual dimorphism, 147–153  
 Sexual selection, 277–280  
*Sicalis flaveola*, 77–87, 119–128, 281–290  
*Sicalis luteola*, 77–87, 119–128, 191–199, 281–290  
*Sicalis olivascens*, 77–87  
*Sicalis raimondii*, 219–221  
 Silva, V. P., 119–128  
 Simonetti, J. A., 97–101, 113–117  
*Sirystes sibilator*, 281–290  
*Sittasomus griseicapillus*, 281–290  
 Size, 147–153  
 Soboza, T. V., 23–26  
 Socolar, J., 11–21  
*Sorghum bicolor*, 43–50  
*Sorghum halepense*, 43–50  
 South American Temperate Rainforest, 191–199  
 Spach, H. L., 27–36  
*Spinus atratus*, 77–87  
*Spinus barbatus*, 191–199  
*Spinus magellanicus*, 77–87  
*Spinus psaltria*, 209–212  
*Spinus uropygialis*, 77–87  
*Spizaetus melanoleucus*, 281–290  
*Spizaetus ornatus*, 281–290  
*Spizaetus tyrannus*, 281–290  
*Sporagra magellanica*, 281–290  
*Sporophila angolensis*, 281–290  
*Sporophila caerulescens*, 77–87, 119–128, 281–290  
*Sporophila falcirostris*, 281–290  
*Sporophila frontalis*, 281–290  
*Sporophila hypoxantha*, 281–290  
*Sporophila leucoptera*, 281–290  
*Sporophila lineola*, 281–290  
*Sporophila nigricollis*, 223–235  
*Sporophila* sp., 119–128  
*Steatornis caripensis*, 295–307  
 Stein, A. C., 135–141  
*Stelgidopteryx ruficollis*, 281–290  
*Stenocereus griseus*, 223–235  
*Stephanophorus diadematus*, 281–290  
*Stephanoxis lalandi*, 281–290  
*Stephanoxis loddigesii*, 23–26  
*Sterna hirundinacea*, 27–36  
*Sterna* sp., 237–241  
*Sternula superciliaris*, 89–96  
 Stevenson, P. R., 295–307  
*Streptoprocne biscutata*, 281–290  
*Streptoprocne zonaris*, 281–290  
 Striped Owl, 51–56  
*Strix huhula*, 281–290  
*Strix hylophila*, 281–290  
*Sturnella loyca*, 77–87  
*Sturnella militaris*, 89–96  
*Sturnella superciliaris*, 77–87, 281–290  
*Styrax* sp., 155–162  
 Suazo, C. G., 77–87  
*Suiriri suiriri*, 119–128, 281–290  
*Sula leucogaster*, 27–36, 57–66  
*Sylviorhynchus desmursii*, 191–199  
*Symplocos hartwegii*, 155–162  
*Synallaxis albescens*, 119–128  
*Synallaxis cinerascens*, 281–290  
*Synallaxis frontalis*, 119–128, 281–290  
*Synallaxis ruficapilla*, 281–290  
*Synallaxis spixi*, 281–290  
*Syndactyla rufosuperciliata*, 281–290  
*Syrigma sibilatrix*, 89–96, 281–290  
*Tachybaptus dominicus*, 89–96, 281–290

- Tachycineta albiventer*, 89–96, 281–290  
*Tachycineta leucopyga*, 77–87, 191–199  
*Tachycineta leucorrhoa*, 77–87, 281–290  
*Tachyphonus coronatus*, 281–290  
 Tala forest, 51–56  
*Tangara cayana*, 281–290  
*Tangara cyancephala*, 281–290  
*Tangara cyanoptera*, 281–290  
*Tangara cyanoventris*, 281–290  
*Tangara desmaresti*, 281–290  
*Tangara guttata*, 209–212  
*Tangara gyrola*, 209–212  
*Tangara icterocephala*, 209–212  
*Tangara larvata*, 209–212  
*Tangara ornata*, 281–290  
*Tangara palmarum*, 281–290  
*Tangara peruviana*, 281–290  
*Tangara preciosa*, 281–290  
*Tangara sayaca*, 119–128, 281–290  
*Tangara seledon*, 281–290  
*Tangara vitriolina*, 223–235  
*Tapera naevia*, 119–128, 281–290  
*Terenura maculata*, 281–290  
 Territorial behavior, 23–26  
*Tersina viridis*, 281–290  
*Thalurania glaucopis*, 281–290  
 Thamnophilidae, 163–174  
*Thamnophilus atrinucha*, 163–174  
*Thamnophilus caerulescens*, 119–128, 281–290  
*Thamnophilus doliatus*, 281–290  
*Thamnophilus ruficapillus*, 281–290  
*Theristicus caudatus*, 89–96, 119–128, 281–290, 291–294  
*Theristicus melanopis*, 77–87  
*Theristicus caerulescens*, 89–96  
 Thicket Antpitta, 181–185  
*Thlypopsis sordida*, 281–290  
 Thraupidae, 209–212, 219–221, 223–235  
*Thraupis episcopus*, 209–212  
*Thraupis sayaca*, 77–87  
 Threskiornithidae, 291–294  
*Thryophilus nicefori*, 223–235  
*Tiaris bicolor*, 223–235  
*Tiaris fuliginosus*, 281–290  
*Tiaris olivaceus*, 209–212  
*Tigrisoma fasciatum*, 89–96, 281–290  
*Tigrisoma lineatum*, 89–96, 119–128  
*Tinamus solitarius*, 281–290  
*Tityra cayana*, 281–290  
*Tityra inquisitor*, 281–290  
*Todirostrum cinereum*, 281–290  
*Todirostrum poliocephalum*, 281–290  
*Tolmomyias sulphurescens*, 281–290  
 Tonetti, V. R., 281–290  
*Topoeba multiflora*, 209–212  
*Touit melanonotus*, 281–290  
*Touit surdus*, 281–290  
*Trattinnickia* sp., 295–307  
*Trichanthera gigantea*, 223–235  
*Triclaria malachitacea*, 281–290  
*Tringa flavipes*, 89–96  
*Tringa melanoleuca*, 89–96, 281–290  
*Tringa solitaria*, 89–96  
*Triticum aestivum*, 43–50  
*Troglodytes aedon*, 77–87, 191–199  
*Troglodytes musculus*, 119–128, 281–290  
 Troglodytidae, 163–174  
*Trogon rufus*, 281–290  
*Trogon surrucura*, 281–290  
*Trogon viridis*, 281–290  
*Trogoniformes*, 281–290  
 Trophic ecology, 237–241  
 Tropical dry forest, 223–235  
 Tropical rain forest, 313–320  
*Turdus albicollis*, 281–290  
*Turdus amaurochalinus*, 119–128, 281–290  
*Turdus assimilis*, 209–212  
*Turdus chiguanco*, 77–87  
*Turdus falcklandii*, 77–87, 191–199  
*Turdus flavigipes*, 281–290  
*Turdus fuscater*, 77–87  
*Turdus grayi*, 209–212  
*Turdus leucomelas*, 281–290  
*Turdus rufiventris*, 77–87, 119–128, 281–290  
*Turdus subalaris*, 281–290  
 Tyrannidae, 143–145, 281–290  
*Tyranniscus burmeisteri*, 281–290  
*Tyrannus melancholicus*, 77–87, 119–128, 281–290  
*Tyrannus savana*, 77–87, 119–128, 281–290  
*Tyto furcata*, 281–290  
 Udrizar Sauthier, D. E., 237–241  
 Understory, 313–320  
*Upucerthia andaecola*, 77–87  
 Urbanization, 77–87  
 Urbanization level, 1–10  
*Urubitinga urubitinga*, 281–290  
 Uruguay, 321–331  
*Vanellus cayanus*, 89–96, 281–290  
*Vanellus chilensis*, 77–87, 119–128, 281–290  
 Vargas-Jiménez, J. D., 181–185  
 Vargas-Peixoto, D., 23–26  
 Venezuela, 147–153  
*Veniliornis lignarius*, 191–199  
*Veniliornis mixtus*, 119–128  
*Veniliornis spilogaster*, 281–290  
 Victoriano, P. F., 243–252  
 Vigilance, 253–260  
 Villegas, M., 77–87  
*Vireo olivaceus*, 223–235, 281–290  
*Volatinia jacarina*, 281–290  
 Walker, B., 209–212  
 White-sand forest, 11–21  
 Williamson, J. L., 163–174  
 Wren, 147–153  
*Xenops minutus*, 281–290  
*Xenops rutilans*, 281–290  
*Xiphocolaptes albicollis*, 281–290  
*Xiphorhynchus fuscus*, 281–290  
*Xolmis cinereus*, 281–290  
*Xolmis irupero*, 119–128, 143–145  
*Xolmis pyrope*, 191–199  
*Xolmis velatus*, 281–290

Yorio, P., 103–111

*Zea mays*, 43–50

*Zenaida auriculata*, 43–50, 77–87, 119–128, 281–290

Zevallos, D. G., 103–111

*Zonotrichia capensis*, 77–87, 119–128, 281–290

Zuria, I., 1–10

