

## SUPPLEMENTARY MATERIAL ONLINE

Rueda-Hernández, R et al. (2018) The molt issue: Where do we go from now? *Ornitología Neotropical, Special Issue* 29: S1–S2.

## REFERENCES

- Barta, Z, AI Houston, JM McNamara, RK Welham, A Hedenstrom, TP Weber & O Feró (2006) Annual routines of non-migratory birds: optimal moult strategies. *Oikos* 112: 580–593.
- Bridge, ES (2006) Influences of morphology and behavior on wing-molt strategies in sea-birds. *Marine Ornithology* 34: 7–19.
- Bridge, ES (2011) Mind the gaps: what's missing in our understanding of feather molt. *The Condor* 113: 1–4.
- Bridge, ES, JD Ross, AJ Contina & JF Kelly (2015) Do molt-migrant songbirds optimize migration routes based on primary productivity? *Behavioral Ecology* 27: 784–792.
- Bugoni, L, LV Mohr, A Scherer, MA Efe & SB Scherer (2013) Biometry, molt and brood patch parameters of birds in southern Brazil. *Revista Brasileira de Ornitologia* 10: 85–94.
- Busch, DS, EA Addis, AD Clark & JC Wingfield (2009) Disentangling the effects of environment and life-history stage on corticosterone modulation in Costa Rican Rufous-collared Sparrows, *Zonotrichia capensis costaricensis*. *Physiological and Biochemical Zoology* 83: 87–96.
- Butler, LK, MG Donahue & S Rohwer (2002) Molt-migration in Western Tanagers (*Piranga ludoviciana*): Age effects, aerodynamics, and conservation implications. *The Auk* 119: 1010–1023.
- Butler, LK, S Rohwer & M Rogers (2006) Prebasic molt and molt-related movements in Ash-throated Flycatchers. *The Condor* 108: 647–660.
- Camacho, C & S Torres (2015) A night-lighting technique for capturing Peruvian Thick-knees (*Burhinus superciliaris*) and first data on molt sequence and biometrics. *Acta Zoológica Mexicana (nueva serie)* 3: 36–40.
- Caplonch, P & P Zelaya (2006) On the distribution and migration of the Euler's Flycatcher (*Lathrotriccus euleri argentinus*) in South America. *Ornitología Neotropical* 17: 501–513.
- Darrah, AJ & KG Smith (2017) Notes on display behavior, breeding, and fledgling care of the Wedge-billed Woodcreeper (*Glyphorynchus spirurus*) in Eastern Ecuador. *Wilson Journal of Ornithology* 129: 382–386.
- de Matos Sousa, NO & MÂ Marini (2013) Life history aspects of *Culicivora caudacuta* (Tyrannidae) in Brazilian Central Cerrado (Brasília, DF). *Revista Brasileira de Ornitologia* 15: 569–573.
- do Nascimento, JLX & PJP dos Santos (2010) Monitoring of White-rumped Sandpiper (*Calidris fuscicollis*) in Lagoa do Peixe National Park, Rio Grande do Sul, Brazil. *Ornitología Neotropical* 21: 371–381.
- Doucet, SM, DB McDonald, MS Foster & RP Clay (2007) Plumage development and molt in Long-tailed Manakins (*Chiroxiphia linearis*): variation according to sex and age. *The Auk* 124: 29–43.
- Echeverry-Galvis, MA & SC Córdoba (2008) A brief overview on reproduction and molt in Neotropical birds. *Ornitología Neotropical* 19: 197–205.
- Fraser, KC, AW Diamond & L Chavarría (2010) Evidence of altitudinal moult-migration in a Central American hummingbird, *Amazilia cyanura*. *Journal of Tropical Ecology* 26: 645–648.
- González-Gómez, PL, L Merrill, VA Ellis, C Venegas, JI Pantoja, RA Vasquez & JC Wingfield (2013) Breaking down seasonality: androgen modulation and stress response in a highly stable environment. *General and Comparative Endocrinology* 191: 1–12.

- Grosjelet, M, JR Nochebuena-Jaramillo, G Rodríguez-Ramos & G Ruiz-Michael (2014) Extensión de la muda preformativa del buscabreña (*Icteria virens*) a partir de individuos capturados durante la migración de otoño en el sur del estado de Veracruz, México. *Huitzil* 15: 31–36.
- Guallar, S, A Ruiz-Sánchez, R Rueda-Hernández & P Pyle (2016) Molt strategies of ten Neotropical forest passerine species. *Wilson Journal of Ornithology* 128: 543–555.
- Guallar, S, A Ruiz-Sánchez, R Rueda-Hernández & P Pyle (2014) Moult topography and its application to the study of partial wing-moult in two Neotropical wrens. *Ibis* 156: 311–320.
- Hernández, A (2012) Molt patterns and sex and age criteria for selected landbirds of southwest Colombia. *Ornitología Neotropical* 23: 215–223.
- Hobson, KA & KJ Kardynal (2015) An isotope ( $\delta^{34}\text{S}$ ) filter and geolocator results constrain a dual feather isoscape ( $\delta^{2}\text{H}$ ,  $\delta^{13}\text{C}$ ) to identify the wintering grounds of North American Barn Swallows. *The Auk* 133: 86–98.
- Hoffmann, D, LE Lopes & MF Vasconcelos (2009) Natural history notes on the Pale-throated Serra-finches (*Embernagra longicauda*) in eastern Brazil. *Ornitología Neotropical* 20: 597–607.
- Jahn, AE, V Bejarano, MB Guzmán, LM Brown, ICC Provinciato, J Cereghetti & HK LePage (2017) Molting while breeding? Lessons from New World *Tyrannus* Flycatchers. *Journal of Ornithology* 158: 1061–1072.
- Jahn, AE, JI Giraldo, M MacPherson, DT Tuero, JH Sarasola, J Cereghetti & MV Morales (2016) Demographic variation in timing and intensity of feather molt in migratory Fork-tailed Flycatchers (*Tyrannus s. savana*). *Journal of Field Ornithology* 87: 143–154.
- Jahn, AE, NE Seavy, V Bejarano, MB Guzmán, ICC Provinciato, MA Pizo & M MacPherson (2016) Intra-tropical migration and wintering areas of Fork-tailed Flycatchers (*Tyrannus savana*) breeding in São Paulo, Brazil. *Revista Brasileira de Ornitologia* 24: 116–121.
- Jenner, T (2010) Life history of the White-breasted Hawk (*Accipiter chionogaster*). *Ornitología Neotropical* 21: 157–180.
- Johnson, EI & JD Wolfe (2014) Thamnophilidae (antbird) molt strategies in a central Amazonian rainforest. *Wilson Journal of Ornithology* 126: 451–462.
- Johnson, EI & JD Wolfe (2018) Molt in Neotropical birds: life history and aging criteria. *Studies in Avian Biology* 51: 1–400.
- Johnson, EI, PC Stouffer & RO Bierregaard Jr (2012) The phenology of molting, breeding and their overlap in central Amazonian birds. *Journal of Avian Biology* 43: 141–154.
- Johnson, EI, JD Wolfe, BT Ryder & P Pyle (2011) Modifications to a molt-based ageing system proposed by Wolfe et al. (2010). *Journal of Field Ornithology* 82: 422–424.
- Lentino, M (2016) *Manual de anillado e identificación de las aves del Paso Portachuelo, Parque Nacional Henri Pittier, Venezuela*. 2<sup>a</sup> ed. Sociedad Conservacionista Audubon de Venezuela, Caracas, Venezuela.
- Leu, M & CW Thompson (2002) The potential importance of migratory stopover sites as flight feather molt staging areas: a review for Neotropical migrants. *Biological Conservation* 106: 45–56.
- Machado-Filho, RA, GM Balsamão & MÂ Marini (2010) Seasonal differences in immune profiles and body conditions of migratory and permanent resident Neotropical flycatchers. *The Condor* 112: 579–590.
- Magalhães, VS, SMD Azevedo Júnior, RMD Lyra-Neves, WR Telino-Júnior & DP de Souza (2007) Biology of birds captured in an Atlantic Forest fragment at Igarassu, Pernambuco, Brazil. *Revista Brasileira de Zoologia* 24: 950–964.
- Maia-Gouvêa, ER, É Gouvêa & A Piratelli (2005) Comunidade de aves de sub-bosque em uma área de entorno do Parque Nacional do Itatiaia, Rio de Janeiro, Brasil. *Revista Brasileira de Zoologia* 22: 859–866.

- Maia, R & RH Macedo (2011) Achieving luster: prenuptial molt pattern predicts iridescent structural coloration in Blue-black Grassquits. *Journal of Ornithology* 152: 243–252.
- Manica, LT, R Maia, A Dias, J Podos, & RH Macedo (2014) Vocal output predicts territory quality in a Neotropical songbird. *Behavioural Processes* 109: 21–26.
- Martin Ii, LB (2005) Trade-offs between molt and immune activity in two populations of House Sparrows (*Passer domesticus*). *Canadian Journal of Zoology* 83: 780–787.
- Moreno-Palacios, M, S Losada-Prado, & MÁ Echeverry-Galvis (2013) Ciclos de reproducción y muda del Volatinero negro (*Volatinia jacarina*) y el Semillero gris (*Sporophila intermedia*) en un matorral secundario al norte del Tolima, Colombia. *Ornitología Neotropical* 24: 421–431.
- Nascimento, JL & PJP dos Santos (2013) Pre-migration preparation of *Sterna hirundo* (Charadriiformes, Sternidae) in Lagoa do Peixe National Park, Rio Grande do Sul. *Revista Brasileira de Ornitologia* 18: 307–314.
- Norambuena, HV, IJ Areta, F Medrano, P Ortiz & PF Victoriano (2017) Contributions to the natural history of the Correndera Pipit (*Anthus correndera chilensis*). *Ornitología Neotropical* 28: 243–252.
- Norris, DR, PP Marra, TK Kyser, LM Ratcliffe & R Montgomerie (2007) Continent-wide variation in feather colour of a migratory songbird in relation to body condition and moulting locality. *Biology Letters* 3: 16–19.
- Oniki, Y & EO Willis (1999) Body mass, cloacal temperature, morphometrics, breeding and molt of birds of the Serra das Araras region, Mato Grosso, Brazil. *Ararajuba* 7: 17–21.
- Ortiz, D & P Capillonch (2008) Seasonality and migratory behavior of the Bran-colored Flycatcher (*Myiophobus fasciatus*) in South America. *Ornitología Neotropical* 19: 31–41.
- Pereira, GA, ME Larrazábal & SM Azevedo-Júnior (2017) Seasonality, biology and threats to *Sicalis luteola* (Sparrman, 1789) (Aves, Thraupidae) in northeastern Brazil. *Brazilian Journal of Biology* 77: 240–243.
- Pyle, P (2013) Evolutionary implications of synapomorphic wing-molt sequences among falcons (Falconiformes) and parrots (Psittaciformes). *The Condor* 115: 593–602.
- Pyle, P, A Engilis Jr & DA Kelt (2015) *Manual para estimar edad y sexo de aves terrestres del Parque Nacional Bosque Fray Jorge y Chile Central, con notas sobre rangos de distribución y estación reproductiva*. Special Publication of the Occasional Papers of the Museum of Natural Science, Louisiana State Univ., Baton Rouge, Louisiana, USA.
- Pyle, P, WA Leitner, L Lozano-Angulo, F Avilez-Teran, H Swanson, E Gómez-Limón & MK Chambers (2009) Temporal, spatial, and annual variation in the occurrence of molt-migrant passerines in the Mexican monsoon region. *The Condor* 111: 583–590.
- Pyle, P, A McAndrews, P Veléz, RL Wilkerson, RB Siegel & DF DeSante (2004) Molt patterns and age and sex determination of selected southeastern Cuban landbirds. *Journal of Field Ornithology* 75: 136–145.
- Pyle, P, K Tranquillo, K Kayano & N Arcilla (2016) Molt patterns, age criteria, and molt-breeding dynamics in American Samoan landbirds. *Wilson Journal of Ornithology* 128: 56–69.
- Renfrew, RB, SJ Frey & J Klavins (2011) Phenology and sequence of the complete prealternate molt of Bobolinks in South America. *Journal of Field Ornithology* 82: 101–113.
- Rohwer, S (2013) Molt intensity and conservation of a molt migrant (*Passerina ciris*) in northwest Mexico. *The Condor* 115: 421–433.
- Rohwer, S & VG Rohwer (2018) Breeding and multiple waves of primary molt in Common Ground-doves of coastal Sinaloa. *PeerJ* 6: e4243.
- Rohwer, S & CS Wood (2013) Abundant early-summer breeding in Sinaloa does not suggest post-migration breeding in three potential double breeders. *Wilson Journal of Ornithology* 125: 243–250.

- Rohwer, S, KA Hobson & S Yang (2011) Stable isotopes ( $\delta D$ ) reveal east-west differences in scheduling of molt and migration in Northern Rough-winged Swallows (*Stelgidopteryx serripennis*). *The Auk* 128: 522–530.
- Rohwer, VG & S Rohwer (2013) How do birds adjust the time required to replace their flight feathers? *The Auk* 130: 699–707.
- Rohwer, VG, S Rohwer & MF Ortiz-Ramírez (2009) Molt biology of resident and migrant birds of the monsoon region of west Mexico. *Ornitología Neotropical* 20: 565–584.
- Ruiz-Sánchez, A, R Rueda-Hernández, S Guallar & P Pyle (2012) Age determination of the Spot-breasted Wren and the White-breasted Wood Wren using molt limits. *North American Bird Bander* 37: 93–100.
- Ryder, TB & R Durães (2005) It's not easy being green: using molt and morphological criteria to age and sex Green-plumage Manakins (Aves: Pipridae). *Ornitología Neotropical* 16: 481–491.
- Ryder, TB & JD Wolfe (2009) The current state of knowledge on molt and plumage sequences in selected Neotropical bird families: a review. *Ornitología Neotropical* 20: 1–18.
- Schondube, JE, E Santana-C & I Ruán-Tejeda (2003) Biannual cycles of the Cinnamon-bellied Flowerpiercer. *Biotropica* 35: 250–261.
- Schwabl, P, E Bonaccorso & W Goymann (2016) Diurnal variation in corticosterone release among wild tropical forest birds. *Frontiers in Zoology* 13: 19.
- Siegel, RB, R Taylor, JF Saracco, L Helton & S Stock (2016) GPS-tracking reveals non-breeding locations and apparent molt migration of a Black-headed Grosbeak. *Journal of Field Ornithology* 87: 196–203.
- Silveira, MB & MÂ Marini (2012) Timing, duration, and intensity of molt in birds of a Neotropical savanna in Brazil. *The Condor* 114: 435–448.
- Stouffer, PC, EI Johnson & RO Bierregaard Jr (2013) Breeding seasonality in central Amazonian rainforest birds. *The Auk* 130: 529–540.
- Stutchbury, BJ, EA Gow, T Done, M MacPherson, JW Fox & V Afanasyev (2011) Effects of post-breeding moult and energetic condition on timing of songbird migration into the tropics. *Proceedings of the Royal Society of London B: Biological Sciences* 278: 131–137.
- Styrsky, JD, P Berthold & WD Robinson (2004) Endogenous control of migration and calendar effects in an intratropical migrant, the Yellow-green Vireo. *Animal Behaviour* 67: 1141–1149.
- Tavera, EA, DB Lank & PM González (2016) Effects of migration distance on life history strategies of Western and Semipalmated Sandpipers in Perú. *Journal of Field Ornithology* 87: 293–308.
- Taylor, J & O Komar (2010) The Ruddy-capped Nightingale-thrush (*Catharus frantzii*) in El Salvador: notes on the life history and ecology of two isolated populations. *Ornitología Neotropical* 21: 225–239.
- Tórrez, MA & WJ Arendt (2017) *La muda de especies de aves selectas de Nicaragua*. UCA Publicaciones, Managua, Nicaragua.
- Verea, C, A Solórzano, M Díaz, L Parra, MA Araujo, F Antón, O Navas, OJL Ruiz & A Fernández-Badillo (2009) Record of breeding and molt activities in some birds of northern Venezuela. *Ornitología Neotropical* 20: 181–201.
- Wada, H, IT Moore, CW Breuner & JC Wingfield (2006) Stress responses in tropical sparrows: comparing tropical and temperate *Zonotrichia*. *Physiological and Biochemical Zoology* 79: 784–792.
- Wilson, RE, SA Sonsthagen, CP Barger & KG McCracken (2007) Asymmetric molt or feather wear in Flying Steamer Ducks (*Tachyeres patachonicus*) from coastal habitats in Argentina. *Ornitología Neotropical* 18: 293–300.
- Wolfe, JD, RB Chandler & DI King (2009) Molt patterns, age, and sex criteria for selected highland Costa Rican resident landbirds. *Ornitología Neotropical* 20: 451–459.

- Wolfe, JD, EI Johnson & RS Terrill (2014) Searching for consensus in molt terminology 11 years after Howell et al.'s "first basic problem". *The Auk* 131: 371–377.
- Wolfe, JD, P Pyle & CJ Ralph (2009) Breeding seasons, molt patterns, and gender and age criteria for selected northeastern Costa Rican resident landbirds. *Wilson Journal of Ornithology* 121: 556–567.
- Wolfe, JD, TB Ryder & P Pyle (2010) Using molt cycles to categorize the age of tropical birds: an integrative new system. *Journal of Field Ornithology* 81: 186–194.